

ARKA Spaces Duo



ARKA SILENT
BOOTHS



Ensured fresh air

What good is quiet, if there's no air? ARKA DUO has four adjustable high-speed fans that scrub CO₂ and bring in fresh O₂.

Control your space

Adjust the light and ventilation levels. Set the perfect stage for your next deep work session. Once the user is gone, DUO goes into standby mode.

Honest materials

Highest grade materials like Baltic Birch plywood and natural wool are used to guarantee lasting durability and unique, well thought out design.

Filter out distractions

Five-layer insulation system achieves 33db noise reduction, as measured under ISO 11957:1996. This keeps your conversations private.

Simple assembly

Our booths are designed for quick assembly — under 3 hours with a certified team or a bit more for teams with no prior experience.


Prioritizing comfort

DUO features two tempered and laminated glass doors. Both open, providing exceptional access and ease of use for two people.


Designs that fit your interior:

*Additional colours and materials available. Visit www.arkasilent.com.

Charcoal black



charcoal oak exterior



"Dark grey 02" wool interior



"Affirm" carpet tile




"Dark grey" curtain



Light Oak




warm grey / oak exterior



"Biscuit" wool interior




"Survey" carpet tile




"Beach sand" curtain




Dark Nickel



Metallic oak exterior



"Light silver" wool interior




"Expose" carpet tile



"Cool grey" curtain



Features that matter:



Technical specification:

ARKA Spaces **Duo**

Exterior size:	2150 × 1335 × 2330 mm (W×D×H)
Interior size:	1975 × 1130 × 2035 mm (W×D×H)
Weight (total):	616.5 kg
Door assembly:	Two operable hinged glass doors
Air circulation:	At max. power, 115 L/s (435 m3/h)
Air quality:	PPM readings under 800
Power outlets:	2× 220V, x2 Type-C fast charge
Power cable:	3m long, 230v, regular electrical socket
Glass:	9 mm double tempered glass with noise-insulating laminate
Floor cover:	Stain resistant, EN 1307 carpet tiles for use in public spaces
Noise isolation:	D'p, W = 33 dB, ISO 11957:1996
Adjustable height:	Adjustable leveling furniture glides
Table:	Purchased separately
Digital control system:	Touch-screen, built in wall
Automatic control system:	Stand-by mode activates 30 minutes after last use
Curtains:	Light fabric privacy curtain, removable


Mandatory installation clearances:

For installing within niches or semi-enclosed structures, a mandatory airflow and access clearance space must be provided at the site of set-up.



Width: 2350 mm
Depth: 1435 mm
Height: 2430 mm





arkasilent.com

hello@arkasilent.com