

ARKA Spaces **Solo**



ARKA SILENT
BOOTHs



Ensured fresh air

What good is quiet, if there's no air? ARKA SOLO has two adjustable high-speed fans that scrub CO₂ and bring in fresh O₂.

Control your space

Adjust the light and ventilation levels. Set the perfect stage for your next deep work session. Once the user is gone, SOLO goes into standby mode.

Honest materials

Highest grade materials like Baltic Birch plywood and natural wool are used to guarantee lasting durability and unique, well thought out design.

Filter out distractions

Five-layer insulation system achieves 33db noise reduction, as measured under ISO 11957:1996. This keeps your conversations private.

Assembled in minutes

Our booths are designed for quick assembly — under 90 minutes with a certified team or a bit more for teams with no prior experience.

Prioritizing user safety

SOLO features double-layer tempered laminated glass, making the doors as safe as possible for use in public spaces.

Designs that fit your interior:

Charcoal black



charcoal oak exterior



"Dark grey 02" wool interior



"Affirm" carpet tile



"Dark grey" curtain



Light Oak



warm grey / oak exterior



"Biscuit" wool interior




"Survey" carpet tile



"Beach sand" curtain



Dark Nickel




Metallic oak exterior



"Light silver" wool interior



"Expose" carpet tile



"Neutral grey" curtain



Features that matter:



Technical specification:

ARKA Spaces **Solo**

Exterior size:	1075 × 1135 × 2330 mm (W×D×H)
Interior size:	900 × 950 × 2035 mm (W×D×H)
Weight (total):	320 kg
Door assembly:	Can be installed to open on the left or right side
Air circulation:	At maximum power, circulation speeds over 80 L/s (300m ³ /h)
Air quality:	PPM readings under 800. (Average PPM readings in cars 600-1400)
Power outlets:	x1 1 220V, x1 Type-C, x1 USB 3.0
Power cable:	3m long, 230v, regular electrical socket
Glass:	9mm double tempered glass with noise-insulating laminate (high safety)
Floor cover:	Stain resistant, EN 1307 carpet tiles for use in high traffic public spaces
Noise isolation:	D'p, W = 33 dB, ISO 11957:1996
Adjustable height:	Adjustable leveling furniture glides
Table:	300 × 800 mm (D×W)
Digital control system:	Touch-screen, built in table
Automatic control system:	Stand-by mode activates 30 minutes after last use
Curtains:	Light fabric privacy curtain, removable

Mandatory installation clearances:

For installing within niches or semi-enclosed structures, a mandatory airflow and access clearance space must be provided at the site of set-up.



Width: 1275 mm
Depth: 1235 mm
Height: 2430 mm



